

Earth Evolution



Earth's Layers

> Inner core

- R = 1300 km (0-800 mi)
- Outer core
 - 1300-3500 km (800-2200 mi)
- > Mantle
 - 3500-6400 km (2200-4000 mi)
- > Crust
 - tops mantle
 - 5-50 km thick (3-25 mi)




The Core

- 16% of Earth's volume
- Two sections:
 - > inner core
 - ★ total diameter ~2600 km (larger than Mercury!)
 - > T ~ 6,000-7,000 K (>10,000°F)
 - > solid, very dense
 - nickel-iron alloy
 - grows ~1 mm per year

outer core

- > ~2250 km thick
- **➢** <u>liquid</u>
- > T ~ 4,000-6,000 K (~6,700-10,300°F)
- primarily iron with some nickel and sulfur
- > convection of liquid metals creates the Earth's magnetic field



The Mantle

Crust 0-100 km

thick

Mantle

Outer core

Asthenosphere

2,900 km

5,100 km

Liquid


Core


Mantle


- 2900 km thick
- ~84% of Earth's volume
- Three regions:
 - **lower region**
 - dense, <u>solid</u> (due to *enormous pressure*!)
 - temperatures between ~2000-3,500 K (~3,100-5,800°F)
 - upper region (asthenosphere, "weak" sphere)
 - has reduced pressures and rock strength
 - plastic rock (at pressures and temperatures found in this region, mantle rock can deform and flow slowly).
 - uppermost region
 - <u>solid</u>; temperatures between 750-1200 K (~900-1,700°F)

The Crust

- <1% of Earth's mass</p>
- Solid
- Two types:
 - oceanic crust
 - 55% of the surface
 - 6 to 10 km thick
 - composed of <u>basalts</u>
 - relatively young (<200 MYO)</p>
 - continental crust
 - 45% of the surface
 - 70% by volume
 - 25 to 70 km thick
 - granites (less dense)
 - mostly old (up to 3.5-4 BYO)








Age of Oceanic Crust


By analyzing radioactive minerals in igneous rocks (those formed through the cooling and solidification of magma or lava), scientists can tell how much time has passed since rocks solidified from lava - the age of a rock.



Oceanic crust is seldom more than 200 million years old.

Age of Continental Crust

The oldest rocks on Earth are found within the stable cores of the continents. The oldest known intact crustal fragment on Earth, Acasta Gneiss (located in Northwest Territories, Canada), is believed to be ~4 billion years old.



Continental Drift Simulation

The Past

https://www.youtube.com/watch?v=UwWWuttntio

The Future

https://www.youtube.com/watch?v=bQywDr-btz4