Newton's Laws

• Newton's 1st Law (Same as Galileo's law of inertia): No force => no acceleration.

"An object at rest stays at rest and an object in motion stays in motion with the same speed and in the same direction unless acted upon by a force."

$$\vec{F} = 0 \implies \vec{v} = const$$

- Newton's 2nd Law:
- "Force equals mass times acceleration"
- Newton's 3rd Law:

"Any Force of action has an equal and opposite Force of reaction"


$$\vec{F}_{B\to A} = -\vec{F}_{A\to B}$$

Unit of force is called Newton (N)

 $\vec{F} = m\vec{a}$

$$1N = 1\frac{kg \cdot m}{s^2}$$

Examples of Forces



g=9.8 m/s² is gravitational acceleration)

Forces are vectors! The total force is the *vector sum* of all applied forces:

$$\vec{F}_{total} = \vec{N} + \vec{T} + m\vec{g}$$


Adding vectors

There are two ways of thinking about vectors:

• Geometrically, vector is a directed line segment. It has direction and magnitude.

• Algebraically, vectors can be written as a list of numbers: their X, Y and Z components. For instance (3,4,-5).


To add vectors A and B geometrically you can use the "triangle" or "parallelogram" rules:



Homework

Problem 1.

Find the total force acting on the cat (graphically).



When solving the problem below follow these steps:

• Draw a picture with all the forces acting on the rocket shown.

• Use Newton's 2nd Law to find its acceleration. DO NOT SUBSTITUTE NUMBERS! Try to get a general formula for acceleration *a* in terms of *F*, *M*, and *g*.

• Now substitute appropriate numbers in your formula and get result for both (a) and (b)

Problem 2

The Apollo mission to Moon was lunched by a very powerful rocket called Saturn V. The total mass of the rocket right before launch was *M=2.8x10⁶ kg*. Total thrust (propulsion force) of 5 engines of the first stage is *F=34x10⁶ N* (Newtons). The rockets is launched vertically upward.

- a) Find the *total force* acting on the rocket and acceleration of the rocket right after the launch. Neglect air resistance.
- b) Similarly to part (a), find acceleration right before the fuel of the first stage is fully burned. The mass of the fuel is *m=2.1x10⁶ kg*. The force will remain constant at this point.

