
Math 4. Classwork 20.



Review of the homework 18

- Divide : Example: Divide 16 in the ratio 1:3. The total number of parts in which the number 16 is divided is 4 (1:3). So each part would be 16:4=4. To divide 16 in the ratio 1:3 we will take 4 (1 part) and 12 (3 parts). The answer is 4:12.
 - a) 12 in the ratio 1:3
 - b) 15 in the ratio 2:3
 - c) 48 in the ratio $\frac{1}{3} \div \frac{1}{5}$ (remember that here to convert this type of a ratio into a simple form you have to bring your fractions to a common denominator. Just remember how we divide fractions using common denominator)
 - d) 100 in the ratio $\frac{1}{2} \div \frac{1}{3}$

2. Represent the following values of speed in $\frac{km}{h}$ units and connect to the appropriate pictures.



Factorials and permutations

There are 5 chairs and 5 kids in the room. In how many ways can kids sit on these chairs? The first kid can choose any chair. The second kid can choose any of the 4 remaining chairs, the third child has a



choice between the three chairs, and so on. Therefore, there are $5 \times 4 \times 3 \times 2 \times 1$ ways how all of them can choose their places.

The expression $5 \times 4 \times 3 \times 2 \times 1$, can be written as 5! (5 factorial)

 $5 \times 4 \times 3 \times 2 \times 1 = 5!$ or $n \times (n-1) \times (n-2) \times ... \times 3 \times 2 \times 1 = n!$

Write the following expressions as a factorial and vice versa:

Example: $7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 7!$, $4! = 4 \times 3 \times 2 \times 1$

 $10 \times 9 \times 8 \times \dots \times 3 \times 2 \times 1 =$ 6! = $b \times (b-1) \times (b-2) \times \dots \times 3 \times 2 \times 1 =$ c! =

- 1. Simplify the following fractions:
 - $\frac{5!}{7!} =$

- 2. How many different ways are there to put 64 books on the shelf?
- 3. In the restaurant, there are 3 choices of starters, 4 choices of entrees and 5 choices of tasty desserts in the fix price dinner menu. How many different ways are there to fix a dinner for the restaurant's clients?

- 4. How many two digit numbers can be composed from digits 1, 2, 3 without repetition of digits?
- 5. How many two digit numbers can be composed from digits 1, 2, 3, if repetition is allowed?
- 6. Peter took 5 exams at the end of the year. Grades for exams are A, B, C, D. How many different ways are there to fill his report card?
- 7. There are red and green pencils in a box. How many pencils do you have to take out of the box without seeing them to be sure that you have at least 2 pencils of the same color?
- 8. If there are pencils of 5 different colors in a box, how many pencils do you have to take out to be sure that you have at least 2 of the same color?
- 9. There are 10 pairs of red gloves and 10 pairs of black gloves in a box. How many gloves do you have to take out to be sure that you have a pair of gloves that you can wear?


1. Geometry.

What is the definition of a circle?

Circumference =

Diameter

- The FULL CIRCLE forms a **360 degree** angle.
- A half circle or a straight angle is 180 degrees
- A fourth of a circle or a right angle is 90 degrees.



Circle is running along the line. At a starting time point A was the point of contact of the circle and the line. The curve which point A will trace is called cicloide. What line the center of the circle will trace?

Imagine the "square wheel" – a square which is staying on a road. Draw a line traced by the point A (vertex) in a process of "rolling"? The diagonal intersection-O?

