### **Newton's Laws**

### • Newton's 1<sup>st</sup> Law (Same as Galileo's law of inertia): No force => no acceleration.

"An object at rest stays at rest and an object in motion stays in motion with the same speed and in the same direction unless acted upon by a force."

$$\vec{F} = 0 \implies \vec{v} = const$$

- Newton's 2<sup>nd</sup> Law:
- "Force equals mass times acceleration"
- Newton's 3<sup>rd</sup> Law:

"Any Force of action has an equal and opposite Force of reaction"


$$\vec{F}_{B \to A} = -\vec{F}_{A \to B}$$

Unit of force is called Newton (N)

 $\vec{F} = m\vec{a}$ 

$$1N = 1 \frac{kg \cdot m}{s^2}$$

## **Examples of Forces**



g=9.8 m/s<sup>2</sup> is gravitational acceleration)

Forces a vectors! The total force is the *vector sum* of all applied forces:

$$\vec{F}_{total} = \vec{N} + \vec{T} + m\vec{g}$$


# **Adding vectors**

There are two ways of thinking about vectors:

• Geometrically, vector is a directed line segment. It has direction and magnitude.

• Algebraically, vectors can be written as a list of numbers: their X, Y and Z components. For instance (3,4,-5).


To add vectors A and B geometrically. you can use "triangle" or "parallelogram "rules:



## Homework 9

Problem 1.

Find the total force acting on a cat (graphically)



When solving the problem below follow these steps:

- Make picture with all forces acting on a rocket shown.
- Use 2<sup>nd</sup> Newton's Law to find acceleration. DO NOT SUBSTITUTE NUMBERS! Try to get a general formula for acceleration a, in terms of F, M, and g.
- Now substitute appropriate numbers in your formula and get result for both (a) and (b)

#### Problem 2

The Apollo mission to Moon was lunched by a very powerful rocket called Saturn V. The total mass of the rocket right before launch was  $M=2.8\times10^6$  kg. Total thrust (propulsion force) of 5 engines of the first stage is  $F=34\times10^6$  N (Newtons). The rockets is launched vertically upward.

- a) Find the **total force** acting on the rocket and acceleration of the rocket right after the launch. Neglect air resistance.
- b) Similarly to part (a), find acceleration right before the fuel of the first stage is fully burned. The mass of the fuel is *m=2.1x10<sup>6</sup> kg*

