

September 15, 2019

Baseline revue test. Algebra.

1. Open brackets and expand the following expressions
 - a. $(a + b)^2 =$
 - b. $(a - b)^2 =$
 - c. $(a + b)^3 =$
 - d. $(a - b)^3 =$
2. Factor the following expressions
 - a. $a^2 - b^2 =$
 - b. $a^2 + b^2 =$
 - c. $a^3 - b^3 =$
 - d. $a^3 + b^3 =$
 - e. $1 + a + a^2 + a^3 =$
3. For a quadratic equation $ax^2 + bx + c = 0$ the roots are,
 $x_{1,2} =$
and they have the following properties,
 $x_1 + x_2 =$
 $x_1 \cdot x_2 =$
4. Open brackets and expand the following expression
 $(a + b)^{10} =$
5. What is the number of permutations of n objects?
6. How many ways is there to select k objects out of n if,
 - a. order does matter?
 - b. order does not matter?
7. Write the formula for a binomial coefficient

$${}_n C_k \equiv C_n^k \equiv \binom{n}{k} =$$

and explain its relation to combinatorics and certain counting problems.

Solutions to the baseline revue test. Algebra.

1. Open brackets and expand the following expressions

a. $(a + b)^2 = a^2 + 2ab + b^2$

b. $(a - b)^2 = a^2 - 2ab + b^2$

c. $(a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$

d. $(a - b)^3 = a^3 - 3a^2b + 3ab^2 - b^3$

2. Factor the following expressions

a. $a^2 - b^2 = (a - b)(a + b)$

b. $a^2 + b^2 = \dots$

c. $a^3 - b^3 = (a - b)(a^2 + ab + b^2)$

d. $a^3 + b^3 = (a + b)(a^2 - ab + b^2)$

e. $1 + a + a^2 + a^3 = (1 + a)(1 + a^2) = \frac{1 - a^4}{1 - a}$

The last example was a particular case of a geometric progression, whose sum is one of the most important expressions in algebra,

$$1 + a + a^2 + \dots + a^n = \frac{1 - a^{n+1}}{1 - a}$$

A simple heuristic way to prove this result is to multiply both sides with $(1 - a)$ and then open the brackets,

$$(1 + a + a^2 + \dots + a^n)(1 - a) = 1 - a + a - a^2 + a^2 - \dots - a^n + a^n - a^{n+1} = 1 - a^{n+1}$$

3. For a quadratic equation $ax^2 + bx + c = 0$ the roots are,

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

and they have the following properties,

$$x_1 + x_2 = -\frac{b}{a}$$

$$x_1 \cdot x_2 = \frac{c}{a}$$

Although this can be checked by direct substitution of the formula for $x_{1,2}$, the easiest way to see this is by rewriting the equation in the reduced form and identifying it with the product of the two brackets,

$$ax^2 + bx + c = 0 \Leftrightarrow x^2 + \frac{b}{a}x + \frac{c}{a} = 0 \Leftrightarrow (x - x_1)(x - x_2) = 0 \Leftrightarrow x^2 - (x_1 + x_2)x + x_1x_2 = 0$$

This is an example of the polynomial factorization, which we will be studying in significant detail this year.

4. Open brackets and expand the following expression,

$$(a + b)^n = a^n + na^{n-1}b + {}_nC_2a^{n-2}b^2 + {}_nC_3a^{n-3}b^3 + \dots + {}_nC_1ab^{n-1} + b^n$$

This is the Newton's binomial formula, and we will be reviewing and re-deriving it later this year using the mathematical induction.

5. What is the number of permutations of n objects? Answer: $n!$

This is the number of ways that n different objects (or subjects) can be placed into n different places.

Examples:

- How many ways is there to sit n people in a movie theater with n numbered chairs?
- How many ways is there to hand out n different books to n students?
- How many ways is there to place n numbered billiard balls into n numbered spots?

There is n ways to select a place for the first object (subject), for each of these n choices there is $n - 1$ choice to place the second one, so there are $n(n - 1)$ in total different choices to fill the first two spots, and so on. Hence, there are $n! = n(n - 1)(n - 2) \dots \cdot 2 \cdot 1$.

6. How many ways is there to select k objects out of n if,

- a. order does matter? Answer: ${}_n P_k = \frac{n!}{(n-k)!}$
- b. order does not matter? Answer: ${}_n C_k = \frac{n!}{k!(n-k)!}$

Math 9 placement test 2018

1. Open brackets and expand the following expressions

a. $(a + b)^2 =$

b. $(a - b)^3 =$

2. Factor the following expressions

a. $a^2 - b^2 =$

b. $a^3 - b^3 =$

c. $a^3 + b^3 =$

d. $1 + a + a^2 + a^3 =$

3. Solve the following inequality. Write your answer as a set of possible values for x .


$$\frac{(x + 2)^2(x - 7)}{x + 3} \leq 0$$

4. Find the remainder of 2^{2019} upon division by 7.

5. Let x_1, x_2 be roots of the equation $x^2 = x + 1$. Find $\frac{1}{x_1} + \frac{1}{x_2}$.

6. Find the remainder upon division of 2^{2019} by 7.

7. O is the center of the inscribed circle in triangle ABC . The angle AOB is 135 degrees. Find the angle ACB .



Math 9 placement test 2017

1. Open brackets and expand the following expressions

a. $(a + b)^2 =$

b. $(a - b)^3 =$

2. Factor the following expressions

a. $a^2 - b^2 =$

b. $a^3 - b^3 =$

c. $a^3 + b^3 =$

d. $1 + a + a^2 + a^3 =$

3. Find the remainder of 3^{2017} upon division by 4.

4. Solve the equation

$$x + \frac{1}{x} = 7\frac{1}{7}$$


5. Eight teams have reached the quarter-finals of the soccer World Cup.

a. How many ways are there for these teams to be paired to play the quarter-final games?


b. How many different outcomes of which team wins which medal (gold, silver, bronze) are possible?

6. Find the area of a square inscribed in

a. a quarter circle of radius r , as shown in the Figure below,



b. a semicircle of radius r as shown in the Figure below.



Math 9 placement test 2016

1. Open brackets and expand the following expressions

a. $(a + b)^2 =$

b. $(a - b)^3 =$

2. Factor the following expressions

a. $a^2 - b^2 =$

b. $a^3 - b^3 =$

c. $a^3 + b^3 =$

d. $1 + a + a^2 + a^3 =$

3. Find the remainder of 3^{2016} upon division by 5.

4. Solve the equation

$$\frac{x^2 + 1}{x} - \frac{2x}{x^2 + 1} = 1$$

5. Eight teams have reached the quarter-finals of the soccer World Cup.

a. How many ways are there for these teams to be paired to play the quarter-final games?

b. How many different outcomes of which team wins which medal (gold, silver, bronze) are possible?

6. Four equal segments are cut off a circle of radius r so that a square is obtained. Find the area of each of these segments.

Math 8-9 placement test 2015

1. How many ways are there to choose a team captain and 6 team members out of 15 candidates?
2. If x_1, x_2 are roots of the square equation $x^2 + 2x - 7$, what is $x_1x_2? \frac{1}{x_1} + \frac{1}{x_2}?$
3. Simplify the following expression

$$\frac{(a^2 - b^2)^3}{(a - b)(a + b)^2}$$

4. How many “words” can you form by permuting the letters of the word “letter”? (A “word” is any combination of letters, not necessarily meaningful)
5. Points $A = (0, 0)$, $B = (2, 0)$, and C on the coordinate plane form an equilateral triangle. What are the coordinates of point C ?
6. Factor $a^4 - b^4$.
7. Corners of a square with the side a are cut off so that a regular octagon is obtained. Find the area of this octagon.
8. Solve the inequality

$$\frac{x + 5}{x^2 - 2x - 3} > 0$$

9. If we write the polynomial $(x + 2)^{10}$ in the usual form $x^{10} + a_1x^9 + a_2x^8 + \dots$, what would be the coefficient of x^6 ?
10. Find all integer numbers which give remainder 2 upon division by 7 and remainder 5 upon division by 13.
11. Given triangle ABC , explain how to construct (using ruler and compass) a point which is at equal distance from points A , B , and C .


Math 8-9 placement test 2015: solutions to selected problems

① $15 \times C_{14}^6 = 15 \cdot \frac{14!}{6! \cdot 8!} = \frac{15 \cdot 14 \cdot 13 \cdot 12 \cdot 11 \cdot 10 \cdot 9}{6 \cdot 5 \cdot 4 \cdot 3 \cdot 2 \cdot 1} = 15 \cdot 7 \cdot 13 \cdot 11 \cdot 3 = 45045$


② $\begin{cases} x_1 + x_2 = -2 \\ x_1 \cdot x_2 = -7 \end{cases} \quad \frac{x_1 + x_2}{x_1 \cdot x_2} = \frac{1}{x_1} + \frac{1}{x_2} = \frac{-2}{-7} = \frac{2}{7}$

③ $\frac{(a-b)^3(a+b)^3}{(a-b)(a+b)^2} = (a-b)^2(a+b)$


④ letter $\frac{6!}{2! \cdot 2!} = \frac{120 \cdot 6}{2 \cdot 2} = 60 \cdot 3 = 180$

⑤  $C = (1, \sqrt{3})$ or $(1, -\sqrt{3})$

⑥ $a^4 - b^4 = (a^2 - b^2)(a^2 + b^2) = (a-b)(a+b)(a^2 + b^2)$

⑦  $b^2 = 2\left(\frac{a-b}{2}\right)^2$
 $2b^2 = (a-b)^2$
 $b^2 + 2ab - a^2 = 0 \quad b = -a \pm \sqrt{a^2 + a^2}$
 $b = (\sqrt{2} - 1)a$
 $Area = a^2 - 4 \cdot \left(\frac{a-b}{2}\right)^2 = a^2 - (a-b)^2$
 $= a^2 - \frac{a^2}{2}(2 - \sqrt{2})^2 = a^2 - a^2[2 - 2\sqrt{2} + 1] = a^2[2\sqrt{2} - 2]$
 $Area = 2(\sqrt{2} - 1)a^2$

⑧ $\frac{x+5}{x^2-2x-3} > 0 \quad \frac{x+5}{(x-3)(x+1)} > 0 \quad \begin{matrix} x \neq 3 \\ x \neq -1 \end{matrix}$



$x \in (-5, -1) \cup (3, +\infty)$

⑨ $(x+2)^{10} = x^{10} + a_4 x^4 + \dots \quad a_4 = C_{10}^4 = \frac{10!}{6! \cdot 4!}$
 $a_4 = \frac{10 \cdot 9 \cdot 8 \cdot 7}{4 \cdot 3 \cdot 2 \cdot 1} = 210 \quad a_4 = 210$
 alternatives by Pascal's triangle

⑩ $7n = 7k + 2 = 13m + 5$
 $7k = 3 \pmod{13} \quad 7k \equiv 1 \pmod{13}$
 $k = 6 + 13l \quad (k = 7l + 3) \quad k \equiv 2 \pmod{13}$
 $7 \cdot 6 = 42 \equiv 3 \pmod{13}$
 $n = 7(6 + 13l) + 2 = 7 \cdot 13l + 44$
 $n = 91l + 44 \quad l = 0, \pm 1, \pm 2, \dots$

12.

Math 9 placement test 2014

1. Open brackets and expand the following expressions

a. $(a + b)^2 =$

b. $(a - b)^3 =$

2. Factor the following expressions

a. $a^2 - b^2 =$

b. $a^3 - b^3 =$

c. $a^3 + b^3 =$

d. $1 + a + a^2 + a^3 =$

3. Find the coefficient of x^5 in the expression $(1 + 2x)^8$

4. Find the remainder of 3^{2014} upon division by 7.

5. Solve the equation

$$\frac{x^2 + 1}{2x} + \frac{2x}{x^2 + 1} = 2$$

6. Eight teams have reached the quarter-finals of the soccer World Cup.

a. How many ways are there for these teams to be paired to play the quarter-final games?

b. How many different outcomes of which team wins which medal (gold, silver, bronze) are possible?

7. Corners of a square with the side a are cut off so that a regular octagon is obtained. Find the area of this octagon.

Math 9 placement test 2014: solutions to selected problems

1. Open brackets and expand the following expressions

a. $(a + b)^2 =$

b. $(a - b)^3 =$

2. Factor the following expressions

a. $a^2 - b^2 =$

b. $a^3 - b^3 =$

c. $a^3 + b^3 =$

d. $1 + a + a^2 + a^3 =$

3. Find the coefficient of x^5 in the expression $(1 + 2x)^8$

$$(1 + 2x)^8 = \dots + C_8^3(2x)^5 + \dots = \dots + \frac{8!}{5! \cdot 3!} \cdot 2^5 \cdot x^5 + \dots = \dots + 7 \cdot 8 \cdot 32 \cdot x^5 + \dots$$

4. Find the remainder of 3^{2014} upon division by 7.

$$3^{2014} = (7 + 2)^{1007} = (\dots) \cdot 7 + 2^{1007} = (\dots) \cdot 7 + 4 \cdot (7 + 1)^{335} = (\dots) \cdot 7 + 4$$

5. Solve the equation

$$\frac{x^2 + 1}{2x} + \frac{2x}{x^2 + 1} = 2$$

$$\frac{x^2+1}{2x} = t, \text{ then } \frac{x^2+1}{2x} + \frac{2x}{x^2+1} = 2 \Leftrightarrow t + \frac{1}{t} = 2 \Leftrightarrow t^2 - 2t + 1 = 0 \Leftrightarrow t = 1 \Leftrightarrow \frac{x^2+1}{2x} = 1 \Leftrightarrow x^2 - 2x + 1 = 0 \Leftrightarrow x = 1.$$

8. Eight teams have reached the quarter-finals of the soccer World Cup.
- a. How many ways are there for these teams to be paired to play the quarter-final games?

For $2n$ teams, let the number of pairings be P_n . There is $2n-1$ ways to pair the first team and thus select the first pair. For the remaining $2n-2$ teams, there will be $2n-3$ ways to select the second pair, and so on. Hence, $P_n = (2n - 1) \cdot P_{n-1} = (2n - 1) \cdot (2n - 3) \cdot \dots \cdot 3 \cdot 1$. For the case of 8 teams, $P_4 = 7 \cdot 5 \cdot 3 = 105$.

- b. How many different outcomes of which team wins which medal (gold, silver, bronze) are possible?

This is given by the number of possible ways to select 3 out of 8, where order matters. The answer is $A_8^3 = \frac{8!}{5!} = 6 \cdot 7 \cdot 8 = 336$.

9. Corners of a square with the side a are cut off so that a regular octagon is obtained. Find the area of this octagon.