HW 6

Looking at the periodic table, we can tell several things about each element:

1. Atomic Number and Atomic Weight

Each element's atomic number (number of protons) and atomic weight are given.

2. **Highest Energy Level** The period (horizontal row) corresponds to the highest occupied energy level (principal quantum number) of an element's electrons.

3. Valence Electrons and Reactivity

- The group (vertical column) often helps determine the number of electrons in the outer shell, known as *valence electrons*. These electrons participate in chemical reactions.
- Elements in Group 1 have 1 valence electron, and those in Group 2 have 2.
- For Groups 13-18, the valence electrons equal the group number minus 10.
- Most elements in the d-block (transition metals) have a valency of 2.

4. Physical Characteristics

The element's placement (also indicates whether it's a metal, nonmetal, or metalloid.

5. For majority of atoms the electrons will occupy levels and orbitals as following:

1s,2s,2p,3s,3p,4s,3d,4p,5s,4d,5p,6s,4f,5d,6p,7s,5f,6d... Examples of electron configurations: K -[Ar]4s¹; Sc – [Ar]4s²3d¹;

Ga - [Ar]4s²3d¹⁰4p¹; Cs – [Xe] 6s¹; La - [Xe] 6s²4f¹; Pb - [Xe] 6s²4f¹⁴5d¹⁰6p²; Rf – [Rn] 7s²5f¹⁴6d²

Let's try to clarify the periodic table:

1. Energy Levels (Shells) and Rows in the Periodic Table:

• Each row (or period) in the periodic table corresponds to a new energy level (or shell) for electrons in atoms in their ground (stable) state.

2. **Row 1**:

- In Row 1, the highest energy level is 1.
- Energy level 1 has only one sub-level, called 1s.
- \circ Electrons occupy this 1s sub-level for the elements in Row 1.
- 3. **Row 2**:
 - In Row 2, the highest energy level is 2.
 - Energy level 2 has two sub-levels: 2s and 2p.
 - Electrons fill up the 1s level first, and then occupy the 2s and 2p sub-levels.
- 4. Row 3:
 - In Row 3, the highest energy level is 3.
 - Energy level 3 can have three sub-levels: 3s, 3p, and 3d.
 - However, the 3d sub-level is not filled immediately after 3p. The 4s sub-level is filled first, which is why the 3d sub-level appears in the 4th row.
- 5. **Row 4**:
 - In Row 4, the highest energy level is 4.
 - Energy level 4 can have four sub-levels: 4s, 4p, 4d, and 4f.
 - However, the 4f sub-level only begins to fill in the 6th row.

6. Understanding Principal Quantum Numbers and Orbitals:

- The energy levels are assigned numbers, known as principal quantum numbers.
- Each sub-level contains orbitals:
 - The s sub-level has 1 orbital.
 - The p sub-level has 3 orbitals.
 - The d sub-level has 5 orbitals.
 - The f sub-level has 7 orbitals.

7. Writing Electron Configurations:

- When writing the **outer shell configuration** (like for Sulfur, S), we show the highest energy level's s and p orbitals, $3s^2 3p^4$.
- For the **outer sub-shell configuration**, we only show the outermost sub-level, e.g., for Sulfur, it would be $3p^4$.



Properties of elements down a group and across a period.



Answer the following questions

- Carbon and Lead belong to the same group in the periodic table. They have the same outer shell ns²np². However, Carbon is nonmetal, but Pb is metal. How do you explain this difference?
 - 2. What can you tell about element with symbol N and element with symbol Bi?