

Structure of Matter



Are they all the same?

If not, what makes them different?


Atomic Theory Development



Born as early as 400 BC, it took more than 2000 years before Science was ready to accept the idea of atomic structure of matter...and another 150 years to develop a good model!


What is a Model?


In Science, a <u>model</u> is a physical, mathematical, or conceptual (abstract) <u>representation of a real phenomenon</u> that is difficult to observe directly – that is, a *convenient substitute*.



Scientific models are used in a variety of scientific disciplines to explain and predict the behavior of real objects or systems.

A Model is Never Perfect






Scientists are constantly working to improve and refine models.

Democritus ~400 BC

"atomos"="not to be cut"



- Matter could not be divided into smaller and smaller pieces forever, eventually the smallest possible piece would be obtained.
- This piece, atomos (atom), would be indivisible.
- Between atoms, there would be empty space.
- To Democritus, atoms were small, hard particles of different shapes and sizes that were all made of the same material.
- Atoms were <u>infinite in number</u>, <u>always moving</u> and capable of <u>joining together</u>.

John Dalton early 1800s

The first truly scientific theory of the atom: conclusions were reached by <u>experimentation</u> and examination of the results in an <u>empirical fashion</u>.

- All elements are composed of atoms.
- Atoms are <u>indivisible</u> and <u>indestructible</u> particles.

Atom model: a billiard ball or a marble.

Atoms of the same element are exactly alike.

Atoms of different elements are different.


W


 Compounds are formed by the joining of atoms of two or more elements.




How to find Atomic Weight?


Assumption #1:
 atoms of a given
 chemical element are
 identical in size, mass,
 and all other properties.





 Assumption #2: chemical compounds are formed when atoms of different elements <u>combine in simple</u> whole-number ratios.





Atomic weights of elements can be determined by careful weighing of chemical reactions!

John Dalton

- 1803-1805: first list of relative atomic weights containing just 6 elements, namely hydrogen (conventionally assumed to weigh 1), oxygen, nitrogen, carbon, sulfur, and phosphorus.
- 1808: expanded list of elements



Dmitri Mendeleev

1869: periodic table of 66
elements ordered and
grouped according to their
atomic weight.


```
опытъ системы эльментовъ.
основанной на втъ атомномъ въсъ и химическог
                              Rh-1044 Pt-197.4
                              Rn = 104.4 |r = 198.
                              Pi = 106.s O- = 199.
H = 1
                     Cu = 63.4 Ag = 108 Hg = 200.
     Be - 94 Mg - 24 Zn - 65x Cd - 112
                              Ur = 116 Au = 197?
                              5n = 118
                              Sb=122 Bi=210?
               S-32 Se-79, Te-128?
                               1 - 127
Li = 7 Na = 23
              K=39 Rb=85.4 Cs=133
             Ca - 40 Sr - 87. Ba - 137
               2-45 Ct-92
             ?Er=56 la=94
             ?Yı=60 Di=95
             ?in - 75.4 Th - 118?
                               II. Mennachena
```

Scientific Mysteries of 1870s

LIGHTEST



Elements are grouped and ordered according to their atomic weight...



...but not always!

Puzzling question: what carries electricity?