


School Nova *Computer Science* *CS 101A*

User-defined functions: Part 2

1/19/2020

By Oleg Smirnov



Homework, tasks 1 - 4




```
def print_product(a, b):  
    print(f"The product of {a} and {b} is {a * b}.")
```

```
def calc_product(a, b):  
    return(a * b)
```

```
def dict_from_lists(a, b):  
    return(dict(zip(a, b)))
```

```
def safe_division(a, b):  
    if (type(a)==int or type(a)==float) and (type(b)==int or type(b)==float) \  
    and b != 0:  
        return(a/b)  
    else:  
        return("NAN")
```

Homework, task 5



```
def int_input():
```

```
    while True:
```

```
        usernum = input("Please, enter an integer: ")
```

```
        if usernum == "quit" or usernum == "exit":
```

```
            usernum = "NAN"
```

```
            break
```

```
        try:
```

```
            usernum = int(usernum)
```

```
            break
```


```
        except:
```

```
            print("Not an integer")
```

```
            continue
```

```
    return(usernum)
```

Homework, tasks 6 - 8



```
def listval(*x):  
    return(list(x))
```

```
def uniques(*x):  
    return(list(set(x)))
```

```
import datetime  
def day():  
    return(int(str(datetime.date.today())[-2:]))
```

User-defined functions (more arguments)



this function accepts ***one argument*** and then ***any number of arguments***
and it ***returns a list***

```
def power_list(power, *values):  
    mylist = []  
    for i in values:  
        mylist.append(i**power)  
    return(mylist)
```

```
a = power_list(2, 6, 7, 8, 9)  
print(a)
```

```
>>> [36, 49, 64, 81]
```

User-defined functions

default values



```
def greet(name = "John"):
    print(f"Hello, {name}!")
```

```
greet("Alex")
greet()
```

Hello, Alex!
Hello, John!

```
def sum(a = 3, b = 7):
    return(a + b)
```

```
print(sum())
print(sum(10, 20))
print(sum(10))
print(sum(b = 10))
```

10
30
17
13