HW 3 – Electron configurations

1. Fill out the tables:

Symbol	¹⁶ 8O	² ₁ D ⁺			
Number of	8			14	16
protons					
Number of	8		14	14	18
neutrons					
Number of	8	0	10		18
electrons					
Charge	0	+1	+3	0	

2.

Symbol	¹⁴ 7 N	35 ₁₇ Cl ⁻			
Number of	7		18		17
protons					
Number of	7		22	20	20
neutrons					
Number of	7	18		18	18
electrons					
Charge	0	-1	0	+2	

If this took you 10 minutes or less (or if you are curious and have more time) please read further and try to answer the questions in the end of the HW. Don't worry if the questions end up being too difficult/confusing, we will go over this in our next class.

The number of electrons (1 negative charge each) in each atom equals the number of protons (1 positive charge each), that is why atoms are not charged.

<u>Electrons in an atom occupy shells</u> (energy levels represented by the letter "n") around the nucleus starting from the shell that is the closest to the nucleus (n=1). Shells can have sub-shells. The further from the nucleus, the more subshells are in each shell.

<u>The number of the subshells in each shell is equal to the shell number "n".</u> Subshells are called "s", "p", "d", "f".

Shell number (n)	Sub-shell
1	S
2	s, p
3	s, p, d
4	s, p, d, f

<u>Subshells are made of orbitals</u>. All orbitals of the same subshell have the same energy. <u>Each orbital can</u> be occupied by one or two electrons.

Sub-shell	Number of orbitals	Maximum number of electrons
S	1	2
р	3	6
d	5	10
f	7	14

For most elements the order of placing electrons into the subshell is:

1s, 2s, 2p, 3s, 3p, 4s, 3d, 4p, 5s, 4d, 5p, 6s, 4f, 5d, 6p, 7s, 5f, 6d,...

Rules of filling electrons' shells

- 1. Decide the total number of electrons to be placed (it should be equal to the number of protons, which is its atomic number)
- 2. Add electrons to each orbital starting with that of the lowest energy level and keeping in mind that we cannot place more than 2 electrons on each orbital

For example, for nitrogen "N" (atomic number 7) we will have to place 7 electrons into the shells, subshells, and orbitals. We will follow the order above keeping in mind how many electrons we can place in each orbital (see the table above). The **electron configuration** for this element will look like this:

$$1s^22s^22p^3$$

This means that the first shell "1" with one subshell "s" will be occupied by 2 electrons (the superscript shows the number of the electrons in the subshell); the second shell "2" with 2 subshells (s and p) will be occupied by the rest of the electrons (7-2 = 5). Two of these 5 electrons will be on subshell 2s (superscript 2) and 3 electrons on subshell 2p (superscript 3).

Try to answer the following questions:

- 3. Write down the electron configuration of ₈O, ₉F, ₁₆S, ₂₁Sc (Note that the number next to the element symbol is the element's atomic number).
- 4. What elements have the following electron configurations: a) $1s^22s^22p^4$; b) $1s^22s^22p^63s^23p^1$, c) $1s^22s^22p^63s^23p^63d^64s^2$?
- 5. What element has the outer most orbital ...3p³?
- 6. Write down electron configuration of an element with the nucleus charge = 12.
- 7. Which of the following atoms and ions have the same electron configuration as ${}_{18}$ Ar: Ca²⁺, Cl⁻, K, Na⁺, S²⁻, As³⁻, Al³⁺?