




## Review: Chemical Reactions

Change of matter that involves bonding, separating or rearranging of two or more atoms.







# Nuclear Reactions involve change of the atomic <u>nucleus</u>

- 1. Radioactive decay an unstable nucleus spontaneously emits a small particle of ionizing radiation to become a different isotope of the same element or a different element (the latter process is called *transmutation*).
- 2. Nuclear Fusion the joining of two atomic nuclei to form a larger one.
- 3. Nuclear Fission the splitting of an atomic nucleus into two smaller ones.

## Ionizing Radiation can pose a serious

health threat to humans: it is capable of changing the basic makeup of atoms and molecules in cells, and more specifically the DNA molecules inside of cells.

#### Alpha Particle

STOPPED BY A SHEET OF PAPER



- interacts strongly with matterunable to penetrate the outer layer of dead skin cells
- capable of causing serious cell damage if an alpha emitting substance is ingested in food or air

#### Beta Particle

VERY SMALL PARTICLE, TRAVELS A FEW FEET STOPPED BY WOOD, PLASTIC OR ALUMINUM



- > can penetrate skin a few centimeters
- main threat is still primarily from internal emission from ingested material

#### Neutron

SMALL PARTICLE, TRAVELS A FEW FEET **ENERGY ABSORBED BY WATER AND CONCRETE** 



the only type of radiation that is able to turn other materials radioactive


#### Gamma Ray

ENERGY ABSORBED BY HEAVY METALS AND CONCRETE



- very high energy electromagnetic
- cause diffuse damage throughout the body ("radiation sickness")

## **Nuclear Fusion**



 The fusion of two nuclei with <u>masses</u> <u>lower than iron</u> generally <u>releases</u> <u>energy</u>, while the fusion of nuclei <u>heavier than iron</u> <u>absorbs energy</u>.


### **Fusion powers active stars!**



 Fusion reactions have the greatest energy density, that is energy released per unit of mass, than any known process.

## **Thermonuclear Fusion**


- In order to fuse, two atomic nuclei must be brought close enough together (confinement requirement) so the electrostatic repulsion can be overcome by the attractive nuclear force which is stronger at close distances.
- If matter is sufficiently heated (plasma state), thermonuclear fusion reaction may occur due to collisions between the particles of extreme thermal kinetic energies.
- In nature, extremely high temperature conditions exist in the COTES Of active stars.



# **Nucleosynthesis**

Nucleosynthesis is the natural process that creates new atomic nuclei from pre-existing nucleons, primarily protons and neutrons:


- Big Bang nucleosynthesis: the first nuclei, hydrogen and helium, were formed about three minutes after the Big Bang.
- Stellar nucleosynthesis: with the formation of stars, heavier nuclei were created from hydrogen and helium, a process that continues today; the heaviest element produced by fusion in a normal star is iron.
- Supernova nucleosynthesis: production of elements from iron to uranium occurs within seconds in a supernova explosion.



# **Stellar Recycling**

5 minutes after the Big Bang: 75% H and 25% He.

10+ billion years of nucleosynthesis: 98% H and He combined, 2% complex elements.



## **Artificial Fusion**

<u>Laboratory fusion</u> of hydrogen isotopes was first accomplished by Mark Oliphant in <u>1932</u> based on transmutation experiments.

Nuclear <u>fusion on a large</u>
scale in an explosion
was first carried out on
November 1, 1952, in
the *lvy Mike* hydrogen
bomb test on an island in
the Pacific Ocean.





International research into developing controlled self-sustained thermonuclear fusion (seen as a means of producing large scale cleaner energy) has been ongoing for more than 60 years and recently resulted in several breakthroughs.