



Earthquakes


What is an earthquake?

Earthquake is the **vibration (shaking) and/or displacement of the ground** produced by the **sudden release of energy**.

- Rocks under *stress* accumulate *strain energy* over time.
- Stress results from tectonic plate movement, magmatic or volcanic activity.
- When stress exceeds strength of rocks, rock breaks and slips.
- Rock slippage/rupture occurs at the weakest point (*fault*).
- Strain energy is released as **seismic waves**.




Focus and Epicenter



- **Focus** – point inside the Earth where an earthquake begins (*point of initial rupture*). The majority of tectonic earthquakes originate in depths not exceeding tens of kilometers.
- **Epicenter** – point on the surface of the Earth directly above the focus where the shaking is usually felt most strongly.

Seismic Waves

- Energy released from the earthquake source (its focus) radiates in all directions.
- Energy is in the form of waves called **seismic waves**:




1. Body waves (*Primary waves and Secondary waves*) - travel fast through the Earth interior.
2. Surface waves (*Love waves and Rayleigh waves*) - travel on the Earth surface; have lower frequency and travel more slowly than body waves - **more destructive**.

Types of Seismic Waves


BODY WAVES

P
type



Compression-expansion


S
type



Up-and-down

SURFACE WAVES

L
type



**Side-to-side
horizontal
movement**



**Elliptical roll of the
ground oriented
vertically**

R
type


Measuring an Earthquake

Earthquakes are measured using observations from **seismographs**, instruments that record seismic waves.




Different *seismograph* types are needed to record both vertical and horizontal ground motion:

Horizontal




Vertical




Simplified Seismogram

The difference between arrival times of the P and S waves can help locate an earthquake source.




Earthquakes often occur as a **sequence rather than individual events**

● Foreshock ● Mainshock ● Aftershock




Map View



Cross-Section View

Foreshocks and Aftershocks



- Small earthquakes, called **foreshocks**, often precede a **major earthquake (main shock)** by days or, in some cases, by as much as several years.
- **Adjustments of crust** (redistribution of stress on the fault) that **follow a major earthquake** often generate smaller quakes in the same area called **aftershocks**.

- **Bigger** earthquakes often have *more and larger* aftershocks and the sequences can last for years.
- **Earthquake swarms** are **sequences of earthquakes** striking in a specific area within a short period of time in which **no single earthquake has notably higher magnitudes** than the other.