

# Math 2 Classwork 17

## Warm Up

1

Write down as an algebraic expression:

- a) The “sum of 12 and  $x$ ”: \_\_\_\_\_
- b) “5 less than  $x$ ”: \_\_\_\_\_
- c) The” difference of 10 and  $x$ ”: \_\_\_\_\_
- d) The “ 20 more than  $x$ ” \_\_\_\_\_

# 2

Compare using  $>$ ,  $<$ , or  $=$

$$4 \times 2 \dots 14 + 14$$

$$10 \times 17 \dots 17 \times 9$$

$$35 \times 1 \dots 35 \times 2$$

$$5 \times 2 \dots 5 \times 2 \times 2$$

$$11 + 11 + 11 \dots 11 \times 7$$

$$4 \times 5 \dots 2 \times 10$$

$$3 \times 6 \dots 2 \times 9$$

$$6 + 6 + 6 + 6 \dots 2 \times 12$$

$$9 \times 4 \dots 7 \times 4$$

3

Calculate without removing parentheses:

- a)  $14 - (4 - 1) =$  \_\_\_\_\_  
 $208 - (100 + 8) =$  \_\_\_\_\_  
 $444 - (44 + 400) =$  \_\_\_\_\_

b) Now remove parenthesis and calculate:

$$14 - (4 - 1) = \underline{\hspace{2cm}}$$

$$208 - (100 + 8) = \underline{\hspace{2cm}}$$

$$444 - (44 + 400) = \underline{\hspace{2cm}}$$

4

Solve the equations and check the answers.

$$563 + \mathbf{x} = 709$$

$$x + 714 = 851$$

$$852 - \mathbf{z} = 34$$

$$X =$$

$$X =$$

$$\mathbf{z} =$$

[illegible]

### Homework Review

5

Rewrite the expressions below replacing addition with multiplication where possible.

a)  $2 + 2 + 2 + 2 + 2 + 5 =$  \_\_\_\_\_

b)  $5 + 5 + 5 + 5 + 4 =$  \_\_\_\_\_

c)  $3 + 3 + 3 + 3 + 3 + 3 + 6 =$  \_\_\_\_\_

d)  $7 + 7 + 7 + 3 =$  \_\_\_\_\_

6


The rectangle below is divided into 7 squares. Find a perimeter of the rectangle if the side of shaded square is 2cm.

Find the length and width of the rectangle first.

Length = \_\_\_\_\_

Width = \_\_\_\_\_

Perimeter = \_\_\_\_\_






### New Material I

The “equal groups” (arrays) thinking about multiplication.

The equal groups are a way of thinking, whereas repeated addition is a way of doing.

*Example:*  $5 \times 7 = 7 \times 5 = 7 + 7 + 7 + 7 + 7 = 5 + 5 + 5 + 5 + 5 + 5 + 5$



Thus, 5 groups of 7 is the same as 7 groups of 5, so  $5 \times 7 = 7 \times 5$ .

**7**

a) Perform the following operations and write their results:

$1 \times 2 = \underline{\hspace{2cm}}$

$1 \times 3 = \underline{\hspace{2cm}}$

$1 \times 6 = \underline{\hspace{2cm}}$

**Conclusion:**  $1 \times a = \underline{\hspace{2cm}}$

or one group of  $a$  equals  $a$ 

b) Perform the following operations and write their results:

$0 \times 2 = \underline{\hspace{2cm}}$


$0 \times 3 = \underline{\hspace{2cm}}$

$0 \times 6 = \underline{\hspace{2cm}}$

**Conclusion:**  $0 \times a = \underline{\hspace{2cm}}$


or zero group of  $a$  equals  $0$ 

The **Commutative property** of addition says changing the order of the numbers we are adding, does not change the sum.



Remember, when we add:

The **Commutative property** of multiplication says that the order in which we multiply numbers does not change the product.

When we **multiply**:  $a \times b = b \times a$ **8**

a) Use the commutative property of multiplication to evaluate the expressions:

$3 \times 1 = 1 \times 3 = \underline{\hspace{2cm}}$

$5 \times 1 = 1 \times 5 = \underline{\hspace{2cm}}$

$7 \times 1 = \times = \underline{\hspace{2cm}}$

$9 \times 1 = \times = \underline{\hspace{2cm}}$

**Conclusion:**  $a \times 1 = \underline{\hspace{2cm}}$

or  $a$  groups of one equals  $a$ .

b) Use the commutative property of multiplication to evaluate the expressions:

$3 \times 0 = 0 \times 3 = \underline{\hspace{2cm}}$

$5 \times 0 = 0 \times 5 = \underline{\hspace{2cm}}$

$7 \times 0 = \underline{\hspace{1cm}} \times \underline{\hspace{1cm}} = \underline{\hspace{2cm}}$

**Conclusion:**  $a \times 0 = \underline{\hspace{2cm}}$

or  $a$  group of zeros equals  $0$ .

### Patterns in Multiplication Table.

Pattern in math is an ordered set of numbers, shapes, or other mathematical objects, arranged according to a rule.

9

Q1: Find all multiples of 2 in the multiplication table. What do those numbers have in the one's place? \_\_\_\_\_

Q2: Find all multiples of 4 in the multiplication table. What do those numbers have in the one's place? \_\_\_\_\_ Is there any connection to the multiples of 2?

Q3: Find all multiples of 5 in the multiplication table. What do those numbers have in the one's place? \_\_\_\_\_. What is the pattern in the ten's place? \_\_\_\_\_

Q4: Look at the darker shaded section of the multiplication table (right of the diagonal) and on the lighter shaded section (left of the diagonal). What do you notice? Can the multiplication table be drawn in the form of a triangle?

| ×  | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10  |
|----|----|----|----|----|----|----|----|----|----|-----|
| 1  | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10  |
| 2  | 2  | 4  | 6  | 8  | 10 | 12 | 14 | 16 | 18 | 20  |
| 3  | 3  | 6  | 9  | 12 | 15 | 18 | 21 | 24 | 27 | 30  |
| 4  | 4  | 8  | 12 | 16 | 20 | 24 | 28 | 32 | 36 | 40  |
| 5  | 5  | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50  |
| 6  | 6  | 12 | 18 | 24 | 30 | 36 | 42 | 48 | 54 | 60  |
| 7  | 7  | 14 | 21 | 28 | 35 | 42 | 49 | 56 | 63 | 70  |
| 8  | 8  | 16 | 24 | 32 | 40 | 48 | 56 | 64 | 72 | 80  |
| 9  | 9  | 18 | 27 | 36 | 45 | 54 | 63 | 72 | 81 | 90  |
| 10 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |


## New Material II

### Three important characteristics of the algorithm:


- It should be **finite**: If your algorithm never ends when you try to solve a problem, then it is useless.
- It should have well **defined instructions**: Each step of the algorithm has to be precisely defined; **the** instructions should be unambiguously specified for each case.
- It should be **effective**: The algorithm should solve the problem it was designed to solve in the most optimal way.

**Branching Algorithms**

- 10** In a 1<sup>st</sup> box write any number between 10 and 20 in the square. Then, do the calculations according to the algorithm.



- 11** Which of those algorithms are **linear**, **or branching**, **or cyclic**? Find the value of  $x$  for every  $a$  by following each algorithm.



| $a$ | 3 | 9 | 15 |
|-----|---|---|----|
| $x$ |   |   |    |

| $a$ | 3 | 9 | 15 |
|-----|---|---|----|
| $x$ |   |   |    |

| $a$ | 3 | 9 | 15 |
|-----|---|---|----|
| $x$ |   |   |    |