


Fractions.

A fraction (from Latin: fractus, "broken") represents a part of a whole.


Look at the picture on the right: the whole chocolate bar is divided into 15 equal pieces:

$$\begin{aligned}
 &1 \text{ (whole chocolate bar) : } 15 \text{ (equal parts)} \\
 &= \frac{1 \text{ (whole chocolate bar)}}{15 \text{ (equal parts)}} \\
 &= \frac{1}{15} \text{ (of the whole chocolate bar)}
 \end{aligned}$$



To divide 3 chocolate bars among 15 kids we can give each kid $\frac{1}{15}$ of each chocolate bar, altogether

$$\frac{1}{15} + \frac{1}{15} + \frac{1}{15} = 3 \cdot \frac{1}{15} = \frac{3}{15} = \frac{1}{5} = 3:15$$




$$(3 \cdot \frac{1}{3} = \frac{3}{3} = 1) \text{ and } \frac{1}{3}.$$

$$3:15 = 3 \cdot \frac{1}{15} = \frac{3}{15} = \frac{1}{5}$$


To divide 4 pizzas equally between 3 friends, we will give each friend $\frac{1}{3}$ of each pizza. Each friend will get

$$4:3 = 4 \cdot \frac{1}{3} = \frac{4}{3}, \text{ which is exactly 1 whole pizza}$$



When we talk about fractions, we usually mean the part of a unit. Proper fractions are parts of a unit; improper fractions are the sums of a natural number and a proper fraction. Sometimes we want to find a part of something which is not 1, but can be considered as a single object. For


example, among 30 pencils, $\frac{2}{5}$ are yellow. How many yellow pencils are there?



What does it mean to find $\frac{2}{5}$ out of 30? The whole pile of all these pencils is a single object, and we want to calculate how many pencils a little pile of $\frac{2}{5}$ of 30 contains. $\frac{2}{5}$ is 2 times $\frac{1}{5}$, and $\frac{1}{5}$ of 30 is $30:5$. So $\frac{2}{5}$ of 30 pencils will be twice as many: $\frac{2}{5} \cdot 30 = 30:5 \cdot 2$

Equivalent fractions.

Some fractions can look different, but represent exactly the same part of the whole.



$$\frac{1}{2} = \frac{2}{4} = \frac{3}{6} = \frac{5}{10}; \quad \frac{1}{2} = \frac{1 \cdot 2}{2 \cdot 2} = \frac{1 \cdot 3}{2 \cdot 3} = \frac{1 \cdot 5}{2 \cdot 5}$$

We can multiply the numerator and denominator of a fraction by the same number (not equal to 0), and the fraction will not change; it's still the same part of the whole. We are only dividing the whole into smaller parts and taking more such parts: if parts are twice smaller (denominator is multiplied by 2), we need twice more such parts to keep the fraction the same (numerator is multiplied by 2).

This property of fractions can be used to reduce fractions. If there are common factors in the numerator and denominator, both numbers can be divided by the common factors.

$$\frac{25}{35} = \frac{5 \cdot 5}{7 \cdot 5} = \frac{5}{7}; \quad \frac{77}{352} = \frac{7 \cdot 11}{32 \cdot 11} = \frac{7}{32}$$

Addition and subtraction of fractions with unlike denominators.

It's very easy to add fractions with the same (like) denominators. One fifteenth part of a chocolate bar together with another two such parts will be exactly three fifteenth parts.


$$\frac{1}{15} + \frac{2}{15} = \frac{1+2}{15} = \frac{3}{15} = \frac{1}{5}$$

Let's try to add $\frac{2}{9}$ and $\frac{2}{3}$. What should we do? Why do we need to bring both fractions to the same denominator? We can add together only similar objects: apples to apples and oranges to oranges. Are two fractions $\frac{2}{9}$ and $\frac{2}{3}$ similar objects?

$$\frac{2}{3} = \frac{1}{3} + \frac{1}{3}, \quad \frac{2}{9} = \frac{1}{9} + \frac{1}{9}$$

How we can add together


$$\frac{2}{9} + \frac{2}{3} = \frac{1}{9} + \frac{1}{9} + \frac{1}{3} + \frac{1}{3}$$



To be able to add two fractions we have to be sure that they have the same denominator. Each $\frac{1}{3}$ is exactly the same as $\frac{3}{9}$ and $\frac{2}{3} = \frac{6}{9}$

$$\frac{2}{3} = \frac{2 \cdot 3}{3 \cdot 3} = \frac{6}{9}$$

$$\frac{2}{9} + \frac{2}{3} = \frac{2}{9} + \frac{6}{9} = \frac{8}{9}$$



Mutually prime numbers are the numbers which do not have common factors, but 1. Like 8 and 9, are both not prime, but do not have common factors other than 1.

If we multiply both numerator and denominator by the same number, the fraction will not change. Common denominator of both fractions should be the multiple of these denominators. If both numbers are prime (or mutually prime), the least

common multiple is their product. If this is not the case, least common multiple is the simplest common denominator, but not the only one, any other multiple can do this task. Numerator and denominator of each fraction should be multiplied by a corresponding number to bring both fractions to a common denominator.

For example,

$$\frac{3}{8} + \frac{5}{12}$$

Common denominator can be $8 \cdot 12 = 96$, but 24 is smaller.

$$\frac{3 \cdot 3}{8 \cdot 3} + \frac{5 \cdot 2}{12 \cdot 2} = \frac{9}{24} + \frac{10}{24} = \frac{19}{24}$$

How can fractions be compared?

How can one know which fraction is greater and which is smaller? There are several ways to find out. First, fractions can be brought to a common denominator. For example, let's compare $\frac{7}{12}$ and $\frac{10}{18}$. The first fraction, $\frac{7}{12}$ is non-reducible. The second fraction can be reduced (it's a good idea to reduce fractions before doing anything):

$$\frac{10}{18} = \frac{2 \cdot 5}{2 \cdot 9} = \frac{5}{9}$$

Now, $\frac{7}{12}$ and $\frac{5}{9}$ can be brought to common denominator:

$$\frac{7}{12} = \frac{7 \cdot 3}{12 \cdot 3} = \frac{21}{36}; \quad \frac{5}{9} = \frac{5 \cdot 4}{9 \cdot 4} = \frac{20}{36}; \quad \frac{21}{36} > \frac{20}{36}$$

The whole was divided into 36 equal parts and 21 such parts are greater than 20.

Another way to do it, is to bring them to a common numerator. Since 5 and 7 are both prime numbers, the LCM of them is their product:

$$\frac{7}{12} = \frac{7 \cdot 5}{12 \cdot 5} = \frac{35}{60}; \quad \frac{5}{9} = \frac{5 \cdot 7}{9 \cdot 7} = \frac{35}{63}; \quad \frac{35}{60} > \frac{35}{63}$$

An equal number of parts are compared, but each part in the second case is smaller.

Also, both fractions can be compared with a third number, for example, $\frac{1}{2}$.


$$\frac{7}{12} = \frac{6}{12} + \frac{1}{12}; \quad \frac{10}{18} = \frac{9}{18} + \frac{1}{18}$$

Since, $\frac{7}{12}$ is greater than $\frac{1}{2}$ by $\frac{1}{12}$; and $\frac{10}{18}$ is greater than $\frac{1}{2}$ by $\frac{1}{18}$, $\frac{1}{12} > \frac{1}{18}$, so $\frac{7}{12} > \frac{10}{18}$.

Exercises.


1. Mark the following fractions on the number line (draw the number line in your notebook):

$$\frac{1}{5}, \quad \frac{3}{5}, \quad \frac{3}{3}, \quad \frac{7}{5}, \quad \frac{10}{5}$$




2. Shade the corresponding part of the figure (draw pictures in your notebook):


a.




b.




c.



3. What part of the segment [AB] is the segment [CD]?



4. On the number lines, mark the number 1.



5. Draw a number line

a. with a unit segment equal to 10 cells and mark the fractions:

$$\frac{1}{5}; \frac{2}{5}; \frac{3}{5}; \frac{4}{5}; \frac{5}{5}; \frac{6}{5}; \frac{7}{5}; \frac{8}{5}.$$

b. with a unit segment equal to 12 cells and mark the fractions:

$$\frac{1}{4}; \frac{1}{3}; \frac{1}{2}; \frac{2}{3}; \frac{3}{4}; \frac{2}{2}; \frac{5}{4}; \frac{5}{3}.$$

6. Fill the empty spaces for fractions:

$$\frac{2}{3} = \frac{\quad}{9} = \frac{\quad}{21} = \frac{4}{\quad} = \frac{36}{\quad}$$

7. Show that fractions are equal:

Example:

$$\frac{1}{11} = \frac{1 \cdot 3}{11 \cdot 3} = \frac{3}{33}$$

a. $\frac{1}{2} = \frac{5}{10};$

b. $\frac{1}{5} = \frac{2}{10};$

c. $\frac{1}{4} = \frac{5}{20};$

d. $\frac{1}{4} = \frac{25}{100};$

e. $\frac{1}{25} = \frac{4}{100}$

f. $\frac{1}{25} = \frac{3}{75};$

g. $\frac{1}{50} = \frac{2}{100};$

h. $\frac{1}{20} = \frac{5}{100};$

i. $\frac{1}{22} = \frac{5}{110};$

j. $\frac{1}{3} = \frac{6}{18}$

8. Show that fractions are equal:

a. $\frac{3}{4} = \frac{6}{8};$

b. $\frac{5}{9} = \frac{15}{27};$

c. $\frac{4}{5} = \frac{16}{20};$

d. $\frac{7}{8} = \frac{35}{400};$

e. $\frac{3}{5} = \frac{60}{100}$

f. $\frac{3}{10} = \frac{60}{200};$

g. $\frac{1}{8} = \frac{125}{1000};$

h. $\frac{1}{125} = \frac{8}{1000};$

i. $\frac{5}{8} = \frac{25}{40};$

j. $\frac{4}{9} = \frac{12}{27}$

9. Simplify (reduce) fractions:

Example: $\frac{7}{21} = \frac{1 \cdot 7}{3 \cdot 7} = \frac{1}{3}$

$$\frac{2}{8};$$

$$\frac{14}{21};$$

$$\frac{7}{49};$$

$$\frac{3}{5};$$

$$\frac{6}{8};$$

10. Simplify fractions:

a. $\frac{4}{8}$; $\frac{9}{36}$; $\frac{7}{28}$; $\frac{5}{35}$;

b. $\frac{2}{8}$; $\frac{8}{24}$; $\frac{12}{28}$; $\frac{45}{100}$;

c. $\frac{25}{35}$; $\frac{45}{54}$; $\frac{8}{400}$; $\frac{32}{256}$;

d. $\frac{12}{18}$; $\frac{18}{20}$; $\frac{20}{24}$; $\frac{24}{30}$;

e. $\frac{56}{49}$; $\frac{40}{32}$; $\frac{48}{36}$; $\frac{28}{21}$;

d. $\frac{21}{56}$; $\frac{144}{120}$; $\frac{156}{128}$; $\frac{396}{240}$;

11. Bring the fractions to the common denominator:

a. $\frac{3}{5}$ and $\frac{2}{3}$;

b. $\frac{3}{4}$ and $\frac{5}{16}$;

c. $\frac{1}{4}$ and $\frac{1}{6}$;

12. Compare:

a. $\frac{3}{5}$ and $\frac{4}{7}$;

b. $\frac{3}{5}$ and $\frac{3}{8}$;

c. $\frac{3}{6}$ and $\frac{1}{2}$;

d. $\frac{1}{5}$ and $\frac{5}{1}$;

e. $\frac{4}{12}$ and $\frac{3}{4}$;

f. $\frac{2}{11}$ and $\frac{1}{12}$;

13. Evaluate:

a. $\frac{1}{5} + \frac{1}{2}$;

b. $\frac{2}{5} + \frac{3}{10}$;

c. $\frac{5}{9} - \frac{1}{3}$;

14. What is bigger, the number c or $\frac{2}{3}$ of the number c? Why?

What is bigger, the number b or $\frac{3}{2}$ of the number b? Why?

What is bigger, $\frac{2}{3}$ of a number m or $\frac{3}{2}$ of a number m? Why?

15.


a. $\frac{1}{7}$ of all students in the class is 4. How many students are there in the class?

b. $\frac{2}{5}$ of all students in a class is 10. How many students are there in a class?

16. $\frac{5}{8}$ of a number is 15. What is the number?

17. What part of the

- a. big square the shaded square is?
- b. big rectangle the shaded rectangle is?



18. Write the answer as a fraction:

- a. Milk was evenly poured into 6 glasses. What fraction of the milk is in 1 glass? In 3 glasses? In 5 glasses?
- b. Candies were evenly distributed into 8 boxes. What fraction of the candies is in 1 box? In 3 boxes? In 7 boxes?

19. Evaluate:

a. $\frac{1}{2} + \frac{1}{3};$

b. $\frac{5}{8} + \frac{3}{16};$

c. $\frac{2}{3} - \frac{5}{9};$

d. $\frac{1}{3} + \frac{1}{6};$

e. $\frac{1}{2} - \frac{1}{6};$

f. $\frac{3}{4} - \frac{1}{12}$

20. Evaluate:

a. $\frac{1}{4} + \frac{5}{6};$

b. $\frac{4}{9} + \frac{1}{6};$

c. $\frac{7}{10} - \frac{1}{4};$

d. $\frac{3}{20} + \frac{5}{6};$

e. $\frac{5}{6} - \frac{5}{8};$

f. $\frac{7}{9} - \frac{4}{15};$

21. Evaluate:

a. $\frac{1}{5} + \frac{1}{4} + \frac{1}{10};$

b. $\frac{2}{7} + \frac{1}{6} + \frac{3}{14};$

c. $\frac{5}{12} + \frac{2}{9} + \frac{1}{18};$

d. $\frac{1}{2} + \frac{1}{3} + \frac{1}{9};$

22. Evaluate by the most convenient way:

a. $\frac{1}{11} + \frac{1}{5} + \frac{4}{11} + \frac{4}{5} + \frac{6}{11};$

b. $\frac{1}{15} + \frac{4}{15} + \frac{1}{18} + \frac{5}{18} + \frac{2}{21} + \frac{5}{21} + \frac{1}{24} + \frac{7}{24};$

23. The pool fills with water in 5 hours. What fraction of the pool will be filled in 1 hour? In 2 hours? In 4 hours?

24. Write the answer as a fraction:

- In a bundle of 11 balloons: 3 of them are yellow, 4 are green, the rest are red. What fraction of all the balloons are red? Yellow? Green?
- In a box of 15 ballpoint pens: 7 of them are blue, 5 are black, the rest are green. What fraction of all the pens are blue and black together? Blue and green together?

25. The kilogram of cookies costs 15 dollars. How much Mary paid for $\frac{4}{5}$ of the kilogram of the cookies.

26. In the school cafeteria, there are 12 tables. There are 10 seats at each table. At the lunchtime $\frac{4}{5}$ of all sits were occupied by students. How many students were in the cafeteria?



27. An apple worm was eating an apple. On the first day it ate half of the apple, on the second day it ate half of the rest, and on the third day it ate half of the rest again. On the fourth day, it ate all the leftovers. What part of the apple did it eat on the fourth day?

28. Peter spent 2 hours doing his homework. $\frac{1}{3}$ of this time, he spent doing his math homework and $\frac{1}{4}$ of the remaining time he spent on the history assignment. How many minutes did Peter spent on his history assignment and how many minutes did he spent doing his math homework?

29. Write the expression for the following problems:

- 3 packages of cookies cost a dollars. How many dollars do 5 of the same packages cost?
- 5 bottles of juice cost b dollars. How many bottles can one buy with c dollars?

30. Half of the students of the class participated in a spelling bee competition. One third of them became winners. How many students are in the class, if there are 5 winners of the spelling bee in the class?

35. Find a. $\frac{3}{4}$ of 12, b. $\frac{2}{7}$ of 14, c. $\frac{5}{8}$ of 56

31. The son is 8 years old; his age is $\frac{2}{9}$ of his father's age. The father's age is $\frac{3}{5}$ of the grandfather's age. How old is the grandfather?

32. There are 48 pencils of each color: blue, yellow and green pencils, 72 red pencils and 120 coloring pictures. How many identical coloring sets can be created out of these pencils and pictures?
33. One book has 126 pages, and the other has 84 pages. Antony read both books in 5 hours. How much time did he spend reading each book if his reading speed did not change?
34. Are there four prime numbers such that the product of two of them is equal to the product of the other two?

35. There are bicycles and tricycles in a daycare center, 21 in total. The total number of wheels on all tricycles and bicycles is 55. How many tricycles and how many bicycles are there in the daycare? (Hint: how many wheels would be there if there were only tricycles?)



36. Robert did his math assignment, but he stained his notebook. Each drop of ink covers the same digit, which is greater than 0. Please, restore his homework!

$$(\star\star + \star\star + 1) \cdot \star = \star\star\star$$

37. Find GCF (GCD)
a and b:

for numbers

$$a. a = 2 \cdot 3 \cdot 3 \cdot 3 \cdot 5 \cdot 11, \quad b = 2 \cdot 2 \cdot 3 \cdot 5 \cdot 7 \cdot 13$$

$$b. a = 2 \cdot 2 \cdot 5 \cdot 5 \cdot 7 \cdot 31, \quad b = 2 \cdot 2 \cdot 3 \cdot 5 \cdot 5 \cdot 5 \cdot 31$$

$$c. a = 3 \cdot 7 \cdot 7 \cdot 19, \quad b = 2 \cdot 5 \cdot 5 \cdot 11 \cdot 19; \quad c. c = 2 \cdot 3 \cdot 3 \cdot 5 \cdot 7$$

$$d. a = 2 \cdot 2 \cdot 3 \cdot 3 \cdot 3 \cdot 29, \quad b = 3 \cdot 3 \cdot 5 \cdot 5 \cdot 29; \quad c. c = 2 \cdot 3 \cdot 5 \cdot 11 \cdot 29$$

38. In your notebook, draw a square with a side equal to 5 grid cells and a rectangle with sides 3 and 7 grid cells. Use ruler!
39. There are 2026 even numbers. Is their sum a prime number?
There are 2026 odd numbers. Is their sum a prime number? Explain.
40. True or false? Can you say without doing actual calculation?

a. 359 is divisible by 37;

e. 891 is not divisible by 9;

b. 1001 is not divisible by 3;	f. 32032 is not divisible by 32;
c. 888016 is divisible by 8;	g. 1100 is divisible by 11;
d. 12411 is not divisible by 4;	h. 99996 is not divisible by 6.

41. On graph paper, a 5×5 square is drawn and divided into small squares. Draw in your notebook three different rectangles that have the same area as the shaded part of the square.

